


# ProLine med 1 ristedel, med stålkassette – 45

## GoGeNo: 7019

### Family Types Preset

#### A.01 Type - PLSK 03 05/00



**Figure A.01**

PLSK 03 05/00

Family Parameter Reference

## A.02 Type - PLSK 04 05/00

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7025 F	
Frame	RAL 7024	
<b>Dimensions</b>		
Width	107.0	
Width Side	144.0	
Length	1000.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.mein	
Model	PL07 04 5/0	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 04 5/0	
GoGetNo	7019	7019
Type Com		
Description		
Assembly		
Cost		
<b>Energy Analysis</b>		
Thermal Pe	238.941000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner	133.0	RW1 - 11 mm
Width Inner	120.0	RW1 - Frame Offset
Width Inner	120.0	RW - Frame Offset + 37 mm
Total Width	251.0	RW + RW1
Total Length	1251.0	Length + Total Width
TP	4	
Side Grill Le	930.0	RL - (2 * Frame Offset) - 22 mm
RW1	144.0	(Count Grill Side * 24 mm) + Frame Offset
RW	107.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Main Hatch	83.0	RW - 24 mm
Frame Off	24.0	24 mm
Count Side	3	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill	5	((Width Side - Frame Offset) / 24 mm)
Count Grill	4	(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Con	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection	941.0	RL - (2 * Frame Offset) - 11 mm
CTP	191	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if(

Family Types

New...  
Rename...  
Delete

Parameters

Add...  
Modify...  
Remove

OK Cancel Apply Help

**Figure A.02**  
PLSK 04 05/00  
Family Parameter Reference

### A.03 Type - PLSK 05 05/00

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7025 F	
Frame	RAL 7024	
<b>Dimensions</b>		
Width	131.0	
Width Side	144.0	
Length	1000.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.mein	
Model	PL07 05 5/0	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 05 5/0	
GoGetNo	7019	7019
Type Com		
Description		
Assembly		
Cost		
<b>Energy Analysis</b>		
Thermal Pe	294.525000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner	133.0	RW1 - 11 mm
Width Inner	120.0	RW1 - Frame Offset
Width Inner	144.0	RW - Frame Offset + 37 mm
Total Width	275.0	RW + RW1
Total Length	1275.0	Length + Total Width
TP	5	
Side Grill Le	930.0	RL - (2 * Frame Offset) - 22 mm
RW1	144.0	(Count Grill Side * 24 mm) + Frame Offset
RW	131.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Main Hatch	107.0	RW - 24 mm
Frame Offs	24.0	24 mm
Count Side	3	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill	5	((Width Side - Frame Offset) / 24 mm)
Count Grill	5	(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Con	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection	941.0	RL - (2 * Frame Offset) - 11 mm
CTP	231	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if(

Family Types: New..., Rename..., Delete

Parameters: Add..., Modify..., Remove

OK Cancel Apply Help

**Figure A.03**  
 PLSK 05 05/00  
 Family Parameter Reference

## A.04 Type - PLSK 06 06/00

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7025 F	
Frame	RAL 7024	
<b>Dimensions</b>		
Width	155.0	
Width Side	168.0	
Length	1000.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.mein	
Model	PL07 06 6/0	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 06 6/0	
GoGetNo	7019	7019
Type Com		
Description		
Assembly		
Cost		
<b>Energy Analysis</b>		
Thermal Pe	346.626000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner	157.0	RW1 - 11 mm
Width Inner	144.0	RW1 - Frame Offset
Width Inner	168.0	RW - Frame Offset + 37 mm
Total Width	323.0	RW + RW1
Total Length	1323.0	Length + Total Width
TP	6	
Side Grill Le	930.0	RL - (2 * Frame Offset) - 22 mm
RW1	168.0	(Count Grill Side * 24 mm) + Frame Offset
RW	155.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Main Hatch	131.0	RW - 24 mm
Frame Offs	24.0	24 mm
Count Side	3	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill	6	((Width Side - Frame Offset) / 24 mm)
Count Grill	6	(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Con	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection	941.0	RL - (2 * Frame Offset) - 11 mm
CTP	262	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if(

Family Types

New...  
Rename...  
Delete

Parameters

Add...  
Modify...  
Remove

OK Cancel Apply Help

**Figure A.04**

PLSK 06 06/00

Family Parameter Reference

## A.05 Type - PLSK 07 07/00

**Family Types**

Name:

Parameter	Value	Formula
<b>Materials and Finishes</b>		
Grill	RAL 7025 F	
Frame	RAL 7024	
<b>Dimensions</b>		
Width	179.0	
Width Side	192.0	
Length	1000.0	
Depth	-100.0	
<b>Identity Data</b>		
URL	http://www.mein	
Model	PL07 07 7/0	
Manufacturer	Meinertz	"Meinertz"
Keynote	PL07 07 7/0	
GoGetNo	7019	7019
Type Com		
Description		
Assembly		
Cost		
<b>Energy Analysis</b>		
Thermal Pe	393.477000	CTP * Total Length / 1000 mm
<b>Other</b>		
Width Inner	181.0	RW1 - 11 mm
Width Inner	168.0	RW1 - Frame Offset
Width Inner	192.0	RW - Frame Offset + 37 mm
Total Width	371.0	RW + RW1
Total Length	1371.0	Length + Total Width
TP	7	
Side Grill Le	930.0	RL - (2 * Frame Offset) - 22 mm
RW1	192.0	(Count Grill Side * 24 mm) + Frame Offset
RW	179.0	(Count Grill Main - 1) * 24 mm + Frame Offset + 11 mm
RL	1000.0	if(Length < 4 * Frame Offset, 4 * Frame Offset, if(Length > 6000 mm, 6000 mm, Length))
Main Hatch	155.0	RW - 24 mm
Frame Offs	24.0	24 mm
Count Side	3	(RL - (2 * Frame Offset) - 200 mm) / 600 mm + 1.49
Count Grill	7	((Width Side - Frame Offset) / 24 mm)
Count Grill	7	(Width - Frame Offset - 11 mm) / 24 mm + 1
Count Con	2	(RL - (2 * Frame Offset) - 300 mm) / 2500 mm + 1.49
Convection	941.0	RL - (2 * Frame Offset) - 11 mm
CTP	287	if(TP = 3, 145, if(TP = 4, 191, if(TP = 5, 231, if(TP = 6, 262, if(TP = 7, 287, if(TP = 8, 317, if(TP = 9, 339, if(

Family Types

New...  
Rename...  
Delete

Parameters

Add...  
Modify...  
Remove

OK Cancel Apply Help

**Figure A.05**  
PLSK 07 07/00  
Family Parameter Reference